


ELECTROSTIMULATION

FULLY GELLED ELECTRODES

Electrodes with wire and 2 mm socket



Conductive cloth

PG470W	35 x 45 mm
PG471W	46 x 47 mm
PG471/40W	40 x 40 mm
PG471/50W	50 x 50 mm
PG471/63W	63 x 63 mm
PG472W	53 x 96 mm
PG472W2	53 x 96 mm - double wire
PG473W	45 x 80 mm
PG473W2	45 x 80 mm - double wire
PG474W	45 x 98 mm
PG475W	65 x 45 mm
PG476W	45 x 150 mm
PG477W	75 x 140 mm
PG479/32W	Ø 32 mm
PG479/50W	Ø 50 mm
PG479/75W	Ø 75 mm
PG200W	20 x 145 mm

FOAM

PG871/40W	40 x 40 mm
PG871/50W	50 x 50 mm
PG873W	45 x 80 mm
PG873W2	45 x 80 mm - double wire
PG874W	45 x 98 mm
PG890W	40 x 90 mm
PG879/32W	Ø 32 mm
PG879/50W	Ø 50 mm

ELECTROSTIMULATION

Snap electrodes




Conductive cloth

PG470	35 x 45 mm
PG471	46 x 47 mm
PG472	53 x 96 mm
PG473	45 x 80 mm
PG473/2	45 x 80 mm - double snap
PG474	45 x 98 mm
PG475	45 x 65 mm
PG476	45 x 150 mm
PG479/32	Ø 32 mm
PG479/50	Ø 50 mm
PG479/75	Ø 75 mm

FOAM

PG871/50	50 x 50 mm
PG873	45 x 80 mm
PG10S	Ø 26 mm
PG20	28 x 68 mm - double snap
F3010	21 x 41 mm - double snap

Tab electrodes



Conductive cloth

PG470L	35 x 45 mm
PG471L	46 x 47 mm
PG473L	45 x 80 mm
PG474L	45 x 98 mm
PG475L	45 x 65 mm
PG476L	45 x 150 mm
PG200	10 X 155 mm
PG200/20	20 x 155 mm
PG100	65 x 100 mm
PG15	45 x 150 mm - dry - single aluminium belt 10 x 150 mm
PG17	90 x 150 mm - dry - double aluminium belt 10 x 150 mm

Special metallic

PG500	28 x 36 mm
F3001NECG	13 x 34 mm

ELECTROSTIMULATION

REUSABLE ELECTRODES

Conductive silicone reusable electrodes

PG970/44



PG980/44



PG980/4
(with holding bag)



PG950/4



PG970/51R



PG916/2



PG925/2



PG970/2
(with holding bag)



PG960/95



PG960/75



4 mm plug

PG970/44	50 x 50 mm
PG980/44	60 x 85 mm
PG916/44	50 x 100 mm
PG912/44	80 x 120 mm
PG917/44	120 x 160 mm
PG925/44	Ø 25 mm
PG950/44	Ø 50 mm

Wire and 4 mm plug

PG970/41	50 x 50 mm
PG980/41	60 x 85 mm
PG916/41	50 x 100 mm
PG912/41	80 x 120 mm
PG917/41	120 x 160 mm

Suffix cable colour code: R=Red; N=Black

2 mm plug

PG970/22	50 x 50 mm
PG980/22	60 x 85 mm
PG916/22	50 x 100 mm
PG912/22	80 x 120 mm
PG925/22	Ø 25 mm
PG950/22	Ø 50 mm

4 mm socket

PG970/4	50 x 50 mm
PG980/4	60 x 85 mm
PG916/4	50 x 100 mm
PG912/4	80 x 120 mm
PG917/4	120 x 160 mm
PG925/4	Ø 25 mm
PG950/4	Ø 50 mm

Wire and 4 mm socket

PG970/51	50 x 50 mm
PG980/51	60 x 85 mm
PG916/51	50 x 100 mm
PG912/51	80 x 120 mm
PG917/51	120 x 160 mm

Suffix cable colour code: R=Red; N=Black

2 mm socket

PG970/2	50 x 50 mm
PG980/2	60 x 85 mm
PG916/2	50 x 100 mm
PG912/2	80 x 120 mm
PG925/2	Ø 25 mm
PG950/2	Ø 50 mm
PG960/55	Ø 55 mm - insulated back side
PG960/75	Ø 75 mm - insulated back side
PG960/95	Ø 95 mm - insulated back side

Snap

PG925C	Ø 25 mm
--------	---------

ELECTROSTIMULATION

CONDUCTIVE SILICONE REUSABLE ELECTRODES - QUICK REFERENCE GUIDE

SIZE	WITHOUT CABLE					WITH 15 CM CABLE	
	2 mm SOCKET	4 mm SOCKET	2 mm PLUG	4 mm PLUG	SSC SNAP	4 mm PLUG	4 mm SOCKET
50 x 50 mm	PG970/2	PG970/4	PG970/22	PG970/44	\	PG970/41	PG970/51
60 x 85 mm	PG980/2	PG980/4	PG980/22	PG980/44	\	PG980/41	PG980/51
50 x 100 mm	PG916/2	PG916/4	PG916/22	PG916/44	\	PG916/41	PG916/51
80 x 120 mm	PG912/2	PG912/4	PG912/22	PG912/44	\	PG912/41	PG912/51
120 x 160 mm	\	PG917/4	\	PG917/44	\	PG917/41	PG917/51
Ø 25 mm	PG925/2	PG925/4	PG925/22	PG925/44	PG925C	\	\
Ø 50 mm	PG950/2	PG950/4	PG950/22	PG950/44	\	\	\
Ø 55 mm	PG960/55 (*)	\	\	\	\	\	\
Ø 75 mm	PG960/75 (*)	\	\	\	\	\	\
Ø 95 mm	PG960/95 (*)	\	\	\	\	\	\



PG971/35G



PG971/40G



PG271/35



PG271/50

PG907

PG971 - Adhesive electrodes (2 mm socket)

PG971/2	46 x 50 mm
PG971/46x80	46 x 80 mm
PG971/35W	35 x 45 mm - with wire
PG971/40W	40 x 40 mm - with wire
PG971/45W	40 x 45 mm - with wire
PG971/2W	46 x 50 mm - with wire
PG971/35G	35 x 45 mm - fully gelled
PG971/40G	40 x 40 mm - fully gelled
PG971/50G	50 x 50 mm - fully gelled
PG971/35GW	35 x 45 mm - fully gelled, with wire
PG971/40GW	40 x 40 mm - fully gelled, with wire
PG971/45GW	45 x 45 mm - fully gelled, with wire
PG971/50GW	50 x 50 mm - fully gelled, with wire
PG971/80x45GW	45 x 80 mm - fully gelled, with wire

PG271 - Gel pads

PG271/35	35 x 45 mm (compatible with PG971/35GW and PG971/35G)
PG271/40	40 x 40 mm (compatible with PG971/40GW and PG971/40G)
PG271/50	50 x 50 mm (compatible with PG971/50GW and PG971/50G)

PG907 - Gel patches

PG907	width 228 mm, thickness 0,25 mm
PG907/55	width 55 mm, thickness 0,25 mm

Reusable electrodes with synthetic buckskin support

PG70X - "Easy Stim" series (snap connection)

PG701	35 x 45 mm
PG702	45 x 60 mm
PG703	60 x 80 mm
PG704	80 x 120 mm
PG705	120 x 220 mm
PG706	120 x 160 mm

PG72X - "Easy Stim" series (snap connection) with insulated external surface

PG721	35 x 45 mm
PG722	45 x 60 mm
PG723	60 x 80 mm
PG724	80 x 120 mm
PG725	120 x 220 mm
PG726	120 x 160 mm

Band electrodes

PG954 - Conductive elastic bands, velcro M/F, double snap connection

PG954/35	5 x 35 cm
PG954/45	5 x 45 cm
PG954/50	5 x 50 cm
PG954/65	5 x 65 cm
PG954/80	5 x 80 cm
PG954/120	5 x 120 cm

PG903 - Conductive cloth bands, velcro M/F, tab connection

PG903/4	5 x 40 cm
PG903/6	5 x 60 cm
PG903/8	5 x 80 cm
PG903/10	5 x 100 cm
PG903/14	5 x 140 cm

PG90X - Conductive silicone bands in roll (on sale by the meter)

PG901	width 50 mm
PG902	width 25 mm
PG901/2	width 50 mm (continuous central 2 mm socket)
PG906/2	width 100 mm (continuous central 2 mm socket)

Conductive elastic bands in roll (on sale by the meter)

PG904	width 20 mm
PG954	width 50 mm

PG931 - Conductive cloth bands in roll (on sale by the meter)

PG931	width 50 mm
PG931/60	width 60 mm
PG931/80	width 80 mm
PG931/99	width 140 mm



ELECTROSTIMULATION



PG933/6



PG933/8



PG923/8

PG933 - "Top pace" band electrodes

PG933/4	5 x 40 cm - velcro to fasten and snap
PG933/6	5 x 60 cm - velcro to fasten and snap
PG933/8	5 x 80 cm - velcro to fasten and snap
PG933/10	5 x 100 cm - velcro to fasten and snap
PG933/12	5 x 120 cm - velcro to fasten and snap
PG933/14	5 x 140 cm - velcro to fasten and snap
PG933/30	5 x 300 cm - tab
PG933/50	5 x 500 cm - tab
PG933/70	5 x 700 cm - tab


PG923 - "Top pace" band electrodes with insulated external surface

PG923/4	5 x 40 cm - velcro to fasten and snap
PG923/6	5 x 60 cm - velcro to fasten and snap
PG923/8	5 x 80 cm - velcro to fasten and snap
PG923/10	5 x 100 cm - velcro to fasten and snap
PG923/12	5 x 120 cm - velcro to fasten and snap
PG923/14	5 x 140 cm - velcro to fasten and snap
PG923/30	5 x 300 cm - tab
PG923/50	5 x 500 cm - tab
PG923/70	5 x 700 cm - tab


HOLDING BAGS




PG916S



PG970S



PG912S



PG970SF



PG916SF



PG912SF



PG970



PG980



PG912



PG926/60/4



PG926/46/4

Spontex

PG970S	60 x 75 mm (electrode 50x50 mm)
PG980S	85 x 100 mm (electrode 60x85 mm)
PG916S	75 x 105 mm (electrode 50x100 mm)
PG912S	110 x 140 mm (electrode 80 x 120 mm)
PG917S	140 x 180 mm (electrode 120 x 160 mm)
PG913S/99	roll, width 62 cm

Suffix colour code: S=yellow; SF= fuchsia

Synthetic buckskin

PG970	60 x 60 mm (electrode 50x50 mm)
PG980	70 x 90 mm (electrode 60x85 mm)
PG916	60 x 105 mm (electrode 50x100 mm)
PG912	105 x 135 mm (electrode 80 x 120 mm)
PG917	140 x 180 mm (electrode 120 x 160 mm)
PG913	roll, width 50 cm
PG913/60	roll, width 60 cm
PG913S/99	roll, width 140 cm

PG926 - Hydrocompressed

PG926/S1	46 x 71 mm
PG926/S2	58 x 88 mm
PG926/S3	90 x 140 mm
PG926/S4	140 x 190 mm
PG926/99	350 x 710 mm
PG926/40	Ø 40 mm
PG926/56	Ø 56 mm
PG926/95	Ø 95 mm
PG926/46/4	Ø 46 mm - 4 holes
PG926/55/4	Ø 55 mm - 4 holes
PG926/60/4	Ø 60 mm - 4 holes
PG926/95/4	Ø 95 mm - 4 holes

FASTENING BELTS

Fastening rubber belts

PG905



PG910



PG909



PG911



PG913



PG905/99



Belts h 24 mm (1 set of holes)

PG905/55	in roll, on sale by the meter
PG905/15	length 150 cm
PG905/8	length 75 cm
PG905/5	length 50 cm
PG905/3	length 35 cm

Belts h 32 mm (1 set of holes)

PG910/55	in roll, on sale by the meter
PG910/15	length 150 cm
PG910/8	length 75 cm
PG910/5	length 50 cm
PG910/3	length 35 cm

Belts h 45 mm (2 sets of holes)

PG909/55	in roll, on sale by the meter
PG909/15	length 150 cm
PG909/8	length 75 cm
PG909/5	length 50 cm
PG909/3	length 35 cm

Belts h 75 mm (3 sets of holes)

PG911/55	in roll, on sale by the meter
PG911/15	length 150 cm
PG911/8	length 75 cm
PG911/5	length 50 cm
PG911/3	length 35 cm

Belts h 100 mm (6 sets of holes)

PG913/55	in roll, on sale by the meter
PG913/15	length 150 cm

Plastic button

PG905/99	Plastic non traumatic button
----------	------------------------------

FASTENING RUBBER BELTS - QUICK REFERENCE GUIDE

WIDTH	SERIES	LENGTH				BY THE METER
		150 cm	75 cm	50 cm	35 cm	30 m
24 mm	1	PG905/15	PG905/8	PG905/5	PG905/3	PG905/55
32 mm	1	PG910/15	PG910/8	PG910/5	PG910/3	PG910/55
45 mm	2	PG909/15	PG909/8	PG909/5	PG909/3	PG909/55
75 mm	3	PG911/15	PG911/8	PG911/5	PG911/3	PG911/55
100 mm	6	PG913/15	\	\	\	PG913/55

ELECTROSTIMULATION



PG943



PG965

Fastening elastic belts

The wide range of fastening elastic belts is represented in the following quick reference guide. The belts are distinguished by width, length, velcro type and colour.



PG935



PG945



PG955



PG946



PG977

FASTENING ELASTIC BELTS - QUICK REFERENCE GUIDE

WIDTH	SERIES	LENGTH						BY THE METER	VELCRO (*)	COLOUR (**)
		30 cm	40 cm	60 cm	80 cm	100 cm	150 cm			
30 mm	PG965	PG965/3	PG965/4	PG965/6	PG965/8	PG965/10	PG965/15	\	M/F	B
		PG965/3M	PG965/4M	PG965/6M	PG965/8M	PG965/10M	PG965/15M	\	M/M	
		\	\	\	\	\	\	PG965/99	\	
50 mm	PG946	\	PG946/4	PG946/6	PG946/8	PG946/10	\	\	M/F	D
		\	\	\	\	\	\	PG946/99	\	
80 mm	PG943	\	PG943/4	PG943/6	PG943/8	PG943/10	PG943/15	\	M/F	D
	PG945	PG945/3	PG945/4	PG945/6	PG945/8	PG945/10	PG945/15	\	M/F	
		PG945/3M	PG945/4M	PG945/6M	PG945/8M	PG945/10M	PG945/15M	\	M/M	
		\	\	\	\	\	\	PG945/99	\	
	PG977	PG977/3	PG977/4	PG977/6	PG977/8	PG977/10	PG977/15	\	M/F	G
		PG977/3M	PG977/4M	PG977/6M	PG977/8M	PG977/10M	PG977/15M	\	M/M	
	\	\	\	\	\	\	PG977/99	\		
100 mm	PG935	PG935/3	PG935/4	PG935/6	PG935/8	PG935/10	PG935/15	\	M/F	W
		PG935/3M	PG935/4M	PG935/6M	PG935/8M	PG935/10M	PG935/15M	\	M/M	
		\	\	\	\	\	\	PG935/99	\	
	PG955	PG955/3	PG955/4	PG955/6	PG955/8	PG955/10	PG955/15	\	M/F	B
		PG955/3M	PG955/4M	PG955/6M	PG955/8M	PG955/10M	PG955/15M	\	M/M	
		\	\	\	\	\	\	PG955/99	\	

(*) M/F = hook/loop; M/M = hook/hook

(**) colours key: B=blue; D=dark blue; G=green; W=white

ELECTROSTIMULATION

ADAPTERS



F9019



PG922/4T



PG922/42



PG922/24

PG998



PG997

From 2 mm or 4 mm socket to alligator

F9019	from alligator to 4 mm socket (**)
F9019/2	from alligator to 2 mm socket (**)

From several connectors to snap

PG922/2T	from snap to 2 mm socket (**)
PG922/4T	from snap to 4 mm socket (*)
PG922/2M	from snap to 2 mm plug (**)
PG922/4M	from snap to 4 mm plug (**)
PG922/MC	from male snap to alligator (**)
PG922/2C	from male snap to 2 mm plug (**)

From / to plug and socket

PG922/24	from 2 mm socket to 4 mm plug (**)
PG922/42	from 4 mm socket to 2 mm plug (**)

PG99X - Adapters for reusable electrodes

PG997	from 2 mm cilindric smooth plug to 2 mm elastic plug
PG998	from 4 mm cilindric smooth plug to 4 mm elastic plug
PG998/4M	from 4 mm elastic plug to 4 mm elastic plug

(*) Suffix colour key: R=red, N=black

(**) Suffix colour key: R=red, N=black

(***) 10 pcs: 6 white, 1 black, 1 red, 1 green, 1 yellow

OUTPUT DOUBLING CABLES




PG374/N



PG365/N



PG370/N



PG371/R

PG365	from male snap to double female snap
PG370	from female 2 mm to double male 2 mm
PG371	from male 2 mm to double female 2 mm
PG372	from male 2 mm to double female snap
PG373	from female 4 mm to double female snap
PG374	from female 4 mm to double male 4 mm
PG375	from male 4 mm to double female 4 mm

Please add to the ref the colour code "/R" (red) or "/N" (black)

ELECTROSTIMULATION

SPECIAL PRODUCTS

Conductive accessories

PG1010-PG1011 - Facial conductive masks complete with Velcro fastening system

- PG1010** Ionophoresis mask, synthetic buckskin, pouches for 50 x 50 mm electrodes
PG1011 Electrostimulation mask, synthetic buckskin and conductive cloth, double snap connection

Grounding electrodes

- PG1020** bipolar (double snap connection)
PG1030 unipolar (single snap connection)

PG1021-PG1031 - Synthetic buckskin insoles

- PG1021** for bipolar conductive slippers
PG1031 for unipolar conductive slippers

PG1040 - Pair of conductive gloves

- PG1040/M** single snap, medium size
PG1040/L single snap, large size
PG1040C2/UNI double snap, one size

PG1050 - Pair of conductive socks

- PG1050/UNI** electrostimulation socks

Grounding electrodes

PG94X/28 - Reusable grounding bracelets

- PG940/28** Anti-static bracelet, snap, length 28 cm
PG941/28 Anti-static bracelet, coupled with synthetic buckskin, snap, length 28 cm
PG942/28 Elastic bracelet, snap, length 28 cm

F9024SSC - Reusable grounding clamp electrode

- F9024SSC** Silver Silver/Chloride sensor, for adults

F7805 - Disposable grounding pads

- F7805** For adults, solid gel, FOAM support, 202x101 mm, tab
F7805P Paediatric, solid gel, FOAM support, 148x90 mm, tab

PG1010

PG1011

PG1030

PG1021

PG1020

PG1040/L

PG1050/UNI

PG940/28

PG941/28

PG942/28

F9024SSC

F7805P

ELECTROSTIMULATION

PROBES



Probes

PG320	internal reference, RCA, 4 Nichel-Brass electrodes included (M4 screw electrode fixing system)
PG330	separate reference, RCA, 4 Nichel-Brass electrodes included (M4 screw electrode fixing system)
PG335/F2	separate reference, 2 mm socket, Stainless-Steel ball electrode included (M4 screw electrode fixing system)
PG335/M4	separate reference, 4 mm plug, 4 Nichel-Brass electrodes included (M4 screw electrode fixing system)
PG340	internal reference, double 2 mm plug, fixed double sphere electrode
PG342	internal reference, 3,5 mm jack mono, fixed 9 mm electrode
PG342S	internal reference, 3,5 mm jack mono, fixed double 6 mm sphere electrode
PG342RCA	internal reference, RCA, fixed 9 mm electrode
PG342SRCA	internal reference, RCA, fixed double 6 mm sphere electrode



Electrodes

(compatible with PG320, PG330, PG335)

PG321	Nichel-Brass - mushroom
PG322	Nichel-Brass - needle
PG323	Nichel-Brass - long needle
PG324	Nichel-Brass - ball
PG325	Nichel-Brass - roller
PG321/AC	Stainless-Steel - mushroom
PG322/AC	Stainless-Steel - needle
PG323/AC	Stainless-Steel - long needle
PG324/AC	Stainless-Steel - ball
PG325/AC	Stainless-Steel - roller



Spontex sponges

PG321/S	For electrodes PG321 and PG321/AC
PG324/S	For electrodes PG324 and PG324/AC

ELECTROSTIMULATION

CONNECTING CABLES

Unipolar snap cables



UNIPOLAR SNAP CABLES - QUICK REFERENCE GUIDE

CABLE (1)		CONNECTOR				
COLOUR	LENGTH	4 mm SOCKET	2 mm SOCKET	4 mm PLUG	2 mm PLUG	NO CONNECTOR
grey (2)	60 cm	F9022F4X	F9022F2X	F9022M4X	F9022M2X	F9022ZX
	150 cm	F9032F4X	F9032F2X	F9032M4X	F9032M2X	F9032ZX
	200 cm	F9042F4X	F9042F2X	F9042M4X	F9042M2X	F9042ZX
others (3)	60 cm	F9122F4X	F9122F2X	F9122M4X	F9122M2X	F9122ZX
	150 cm	F9132F4X	F9132F2X	F9132M4X	F9132M2X	F9132ZX
	200 cm	F9142F4X	F9142F2X	F9142M4X	F9142M2X	F9142ZX

(1) wire diameter 2 mm

(2) replace * with the snap colour code: W=white, R=red, V=green, N=black, G=yellow, B=blue, M=brown, I=violet

(3) replace * with the snap colour code (cable and snap colours are the same): GR=grey, R=red, V=green, N=black, G=yellow, B=blue, M=brown, I=violet

F9072M4ZR



Unipolar cables with several connectors

UNIPOLAR CABLES WITH SEVERAL CONNECTORS - QUICK REFERENCE GUIDE

ONE CONNECTOR AT ONE SIDE ONLY					
COLOUR	CABLE LENGTH	4 mm SOCKET	4 mm PLUG	2 mm SOCKET	2 mm PLUG
black	100 cm	F9072F4ZN	F9072M4ZN	F9072F2ZN	\
	150 cm	F9073F4ZN	F9073M4ZN	F9073F2ZN	F9032M2ZN
	200 cm	F9074F4ZN	F9074M4ZN	F9074F2ZN	F9042M2ZN
red	100 cm	F9072F4ZR	F9072M4ZR	F9072F2ZR	\
	150 cm	F9073F4ZR	F9073M4ZR	F9073F2ZR	F9032M2ZR
	200 cm	F9074F4ZR	F9074M4ZR	F9074F2ZR	F9042M2ZR
TWO CONNECTORS (AT BOTH SIDES)					
COLOUR	CABLE LENGTH	4 mm - 2 mm PLUG	DOUBLE 4 mm PLUG		
black	80 cm	F9071M42N	\		
	180 cm	F9071M42N180	\		
		\	F9071M44N180		
red	80 cm	F9071M42R	\		
	180 cm	F9071M42R180	\		
		\	F9071M44R180		
				wire diameter 2,5 mm	wire diameter 2 mm
				cable and connector have the same colour	grey cable

ELECTROSTIMULATION



PG355/15




Bipolar snap cables

PG396/15J9G

BIPOLAR SNAP CABLES - QUICK REFERENCE GUIDE

WIRE DIAMETER	3,2 mm		2,5 mm	1,5 mm FLAT	2,5 mm FLAT	
	180 + 30 cm	100 + 150 cm	150 cm		200 cm	
CABLE COLOUR	GREY	GREY	BLACK	BLACK	(*)	
JACK MONO 3,5 mm	F5302/J35M	\	PG350/15	PG362	PG396/15JX	PG396/20JX
JACK MONO 3,5 mm 90°	F5302/J35M9	\	\	\	PG396/15J9X	PG396/20J9X
JACK STEREO 3,5 mm	\	\	\	PG356	PG396/15JSX	PG396/20JSX
JACK STEREO 3,5 mm 90°	\	\	\	\	PG396/15JS9X	PG396/20JS9X
JACK MONO 2,5 mm	\	\	PG353/15	PG360	\	\
RCA	F5302/RCA	\	PG355/15	\	PG395/15RX	PG395/20RX
JACK MONO 6,3 mm	\	\	\	\	PG396/15J6X	PG396/20J6X
JACK STEREO 6,3 mm	\	\	PG356/15	\	PG396/15JS6X	PG396/20JS6X
without connector	\	F5302/YRN	\	\	PG390/15ZX	PG390/20ZX

(*) Please replace "X" with the cable colour code: R (red), N (black), G (yellow), B (blue), V (green), GR (grey), A (orange).



PG391

*Bipolar cables
with 2 mm plug*

BIPOLAR CABLES WITH 2 mm PLUG - QUICK REFERENCE GUIDE

WIRE DIAMETER	2,5 mm FLAT		1,5 mm FLAT
	150 cm	200 cm	150 cm
CABLE COLOUR	(*)		BLACK
JACK MONO 3,5 mm	PG391/15JX	PG391/20JX	PG363
JACK MONO 3,5 mm 90°	PG391/15J39X	PG391/20J39X	\
JACK STEREO 3,5 mm	PG391/15JSX	PG391/20JSX	PG357
JACK STEREO 3,5 mm 90°	PG391/15JS9X	PG391/20JS9X	\
JACK MONO 2,5 mm	\	\	PG361
RCA	PG391/15RX	PG391/20RX	\
JACK MONO 6,3 mm	PG391/15J6X	PG391/20J6X	\
JACK STEREO 6,3 mm	PG391/15JS6X	PG391/20JS6X	\
without connector	PG391/15ZX	PG391/20ZX	\

(*) Please replace "X" with the cable colour code: R (red), N (black), G (yellow), B (blue), V (green), GR (grey), A (orange)

ELECTROSTIMULATION



F5304/J35M9

Four-poles snap cables

- F5304/J35M L 180+30 cm, with derivation box, 3,5 mm JACK MONO plug
- F5304/J35M9 L 180+30 cm, with derivation box, 3,5 mm JACK MONO 90° ANGLED plug
- F5304 L 150+150 cm, YOKE, NO CONNECTOR
- F5304 Y L 150+60 cm, YOKE, 4 independent leads, NO CONNECTOR

SPARE PARTS




- F9012 Kit of metallic snap and coloured cover, section 2 mm
- F9012/3 Kit of metallic snap and coloured cover, section 3,2 mm
- F9022/99 Unipolar polyurethane cable
- F9025/88 Bipolar flat PVC cable



- 60506226 Stainless steel snap, upper part
- 60506227 Stainless steel snap, lower part



- 60506323 Cable gland for 5 mm cable
- 60506204 Cable gland for 7,2 mm cable



- 60506235 YOKE box with 2 holes
- 60506212 YOKE box with 4 holes
- 60506206 YOKE box without holes
- 50506205 Open box without holes